# **CONTRASTS**



## **GADOVIST 1.0 PRE-FILLED SYRINGES (5 X 7.5ML)**

Gadovist (5 x 7.5ml) Pre-filled syringes \*MRI

Gadovist 1.0 is used at the same time as magnetic resonance imaging (MRI) to aid in the detection of known or suspected abnormalities in the body: brain, spinal cord, blood vessels, head and neck region, chest, breast, abdomen, pelvis, kidneys, bones, muscles and heart.

 $CTN = (5 \times 7.5 ml)$ 

**Read More** 

**CODE** C-GEN1056

**Category:** Intravenous



## **GADOVIST 1.0 PRE-FILLED SYRINGES (5 X 5ML)**

#### Gadovist 1.0 (5 x 5ml) pre-filled syringes \*MRI

Gadovist 1.0 is used at the same time as magnetic resonance imaging (MRI) to aid in the detection of known or suspected abnormalities in the body: brain, spinal cord, blood vessels, head and neck region, chest, breast, abdomen, pelvis, kidneys, bones, muscles and heart.

CTN = (5 pack)

**Read More** 

**CODE** C-GEN1055 **Category:** <u>Intravenous</u>

# **INTRAVENOUS**



## **GADOVIST 1.0 PRE-FILLED SYRINGES (5 X 7.5ML)**

Gadovist (5 x 7.5ml) Pre-filled syringes \*MRI

Gadovist 1.0 is used at the same time as magnetic resonance imaging (MRI) to aid in the detection of known or suspected abnormalities in the body: brain, spinal cord, blood vessels, head and neck region, chest, breast, abdomen, pelvis, kidneys, bones, muscles and heart.

 $CTN = (5 \times 7.5 ml)$ 

**Read More** 

CODE C-GEN1056

**Category:** Intravenous



## **GADOVIST 1.0 PRE-FILLED SYRINGES (5 X 5ML)**

#### Gadovist 1.0 (5 x 5ml) pre-filled syringes \*MRI

Gadovist 1.0 is used at the same time as magnetic resonance imaging (MRI) to aid in the detection of known or suspected abnormalities in the body: brain, spinal cord, blood vessels, head and neck region, chest, breast, abdomen, pelvis, kidneys, bones, muscles and heart.

CTN = (5 pack)

**Read More** 

**CODE** C-GEN1055 **Category:** <u>Intravenous</u>